



VCO 6 shown, Light Grey


VC / VCO Wall Safes

The VC and VCO are wall safes certified to EN 1143-1 Grade I by ECB•S in Germany. Built into the wall, they keep cash, jewellery and documents out of sight. The shallow VC suits smaller wall cavities; the deeper VCO also takes lever-arch binders.

CERTIFICATIONS

Burglary Grade I (EN 1143-1), tested by ECB•S Germany

Installation Built into a brick or concrete wall



VC / VCO Wall Safes

Model	External H×W×D (mm)	Internal H×W×D (mm)	Door opening (mm)	Capacity (L)	Binders	Shelves	Weight (kg)
VC 2	370 × 490 × 210	270 × 395 × 120	270 × 320	12	—	1	35
VC 3	470 × 490 × 210	370 × 395 × 120	370 × 320	17	—	1	49
VC 4	370 × 490 × 300	270 × 395 × 210	270 × 320	22	—	1	37
VC 5	470 × 490 × 300	370 × 395 × 210	370 × 320	30	—	1	52
VC 6	620 × 490 × 300	520 × 395 × 210	520 × 320	43	—	2	66
VC 8	820 × 490 × 300	720 × 395 × 210	720 × 320	59	—	2	86
VCO 4	370 × 490 × 390	270 × 395 × 300	270 × 320	32	3	1	39
VCO 5	470 × 490 × 390	370 × 395 × 300	370 × 320	43	5	1	55
VCO 6	620 × 490 × 390	520 × 395 × 300	520 × 320	61	5	2	75
VCO 8	820 × 490 × 390	720 × 395 × 300	720 × 320	85	10	2	89
VCO 10	1020 × 600 × 390	920 × 505 × 300	920 × 430	139	12	2	140
VCO 12	1220 × 600 × 390	1120 × 505 × 300	1120 × 430	169	18	3	170

VC / VCO Wall Safes

LOCK OPTIONS

Lock

Key Lock with 2 Keys

Code Lock (M-Locks EM2020)

Double-walled door on internal hinges, opens 90°, hinged on the right. Choose a high-security double-bit key lock with 2 keys or an electronic code lock. Built into a brick or concrete wall. Extra shelves available.

STANDARD COLOURS

☐ Light Grey (RAL 7035)

ACCESSORIES



Extra Shelf

395 mm Width - VC, VCO · 505 mm Width - VCO 10, VCO 12